



COVER SECTION



SC TYPE COVER SET & COMPONENTS - W CLASS




COVER SETS with STANDARD CONE

Series	Cover Type	Cover Tube Dia. (mm)		Cover Set Part Number			Standard Cone	Rib Qty	Collar	Nylon Bearing
		Inner A	Outer B	Complete 1	Outer Half 2	Inner Half 3				
W2100 W2200	SC05	49	55	85.000-L	85.002-L	85.001-L	85.05.04	4	83.10.03	83.09.01
W2200 W2300	SC15	61	68	85.100-L	85.102-L	85.101-L	85.15.05	5	82.85.00	82.83.06
W2300 W2400 W2500	SC25	73	80	85.200-L	85.202-L	85.201-L	85.25.06	6	82.85.00	82.83.04
				85.200B-L	85.202B-L	85.201B-L	85.25.06	6		
							85.26.07	7		
W2300 W2400 W2500	SD25/1	80	87	85.211-L	85.213-L	85.212-L	85.25.06	6	82.85.03	82.83.04
				85.211B-L	85.213B-L	85.212B-L	85.26.07	7		
							85.26.07	7		
W2600	SD35	92	102	85.303-L	85.305-L	85.304-L	85.36.08	8	82.85.06	82.83.07
									82.85.07	




L Specify desired length of cover tube when ordering (mm)

STANDARD CONE




Cover Type	Cone Diameter D	Rib Qty N	Cone Part Number 1
SC05	129	4	85.05.04
SC15	158	5	85.15.05
	158	8	85.15.08
	152	12	85.15.12
SC25 & SD25/1	160	6	85.25.06
	152	12	85.25.12
	185	7	85.26.07
SD35	185	7	85.35.07
	207	8	85.36.08


SPECIAL CONES



Series Type	D1	D	D2	B	L	L1	Part Number
SC-05/12	170	62	91	4	282	20	85.06.500
SC-15/12	170	74	91	4	290	20	85.15.500
SC-25/12	170	85	91	3.5	283	20	85.25.602
SC-25/24	170	85	90	3.5	306	17	85.25.500
SC-25/22	194	85	105	3.5	317	20	85.26.500
SC-25	194	85	122	3.5	312	20	85.26.600



Series Type	D1	D	D2	B	L	L1	Part Number
SC-05/22	145	62	104	3	224	40	85.07.502
SC-25/22	194	85	147	3.5	235	45	85.26.504




Series Type	D1	D	D2	B	L	L1	L2	L3	Part Number
SC-15/12	160	74	91	3.5	311	20	65	132	85.15.112
SC-15/12	160	74	91	3.5	305	20	65	168	85.15.201
SC-25/12	160	85	91	3.5	312	20	65	183	85.25.200

Note: Other special cones available on request.

COVER BEARINGS, CV BEARINGS & BEARING GROOVE RINGS




SC Nylon Bearing



PG Nylon Bearing




SC/PG Conversion Bearing




Cover Bearings

Type	Diameter D (mm)	Width A (mm)	Part Number
SC/SD05	42	3	83.09.01
SC/SD15	51	4	82.83.06
SC/SD25	63	4	82.83.04
SC/SD35	82	4	82.83.07
PG20	77	10	86.20.00
PG25	63	4	82.83.120
PG30	95	15	86.30.00



CV Cover Bearings


Type	Series	Outside Diameter D (mm)	Inside Diameter D1 (mm)	Part Number
SD05/15	2280	152	106	82.83.12
SD15/25	2380	165	116	82.83.13
SD25	2480/P480	175	121	82.83.14
SD25	2580/P580	190	127	82.83.15
PG20	P675	190	143	82.83.113



Bearing Groove Rings

Type	Profile A	Width B (mm)	Groove C (mm)	D (mm)	D1 (mm)	Outside Diameter D2 (mm)	Part Number
SC05	00a/00c	14	4	25	47	53	16.60.05
SC05	0a	14	4	31	47	53	16.60.06
SC15	0v	14	5	35	50	58	16.33.110
SC15	0v	30	5	35	50	58	16.50.104
SC15	1	14	5	42	62.5	58	16.33.111
SC25	1	14	5	42	62.5	70	16.33.112
SC25	1b	14	5	40	62.5	70	16.33.113
SC25	2a	14	5	48	62.5	70	16.33.114
SC25	S4	14	5	38	62.5	70	16.33.116
SC25	S5	14	5	48	62.5	70	16.33.117
SC35	63*	17	5	Ø63	81	90.5	16.33.122
PG20	S4	21	11	38	75.5	85	16.50.668
PG20	S5	21	11	48	75.5	85	16.50.615
PG20	S5	21	11	48	75.5	85	16.50.615
PG30	70*	22	16	Ø70	93.5	104	16.50.730

* Tube diameter

SC TYPE WIDE ANGLE COVER SET & COMPONENTS - W CLASS

COVER SET COMPONENTS

Series	Cover Type	CV Guard 1	Retaining Screw 2	CV Nylon Bearing 3	Flexo Element 4	PTO Nylon Bearing 5	Outer Half Guard 6	Inner Half Guard 7	CV Guard Chain 8	PTO Guard Chain 9
2280	SC15	85.01.00	60.15.00	82.83.12	85.15.62	82.36.06	85.102-L	85.101-L	82.36.08	82.36.03
2380	SC15	85.01.01	60.15.00	82.83.13	85.15.62	82.36.08	85.102-L	85.101-L	82.36.08	82.36.03
2380	SC25 SC25/1	85.00.04	60.15.00	82.83.13	85.25.62	82.83.04	85.202-L	85.201-L	82.36.08	82.36.03
							85.213-L	85.212-L		
2480	SC25 SC25/1	85.01.02	60.15.00	82.83.14	85.25.62	82.83.04	85.202-L	85.201-L	82.36.08	82.36.03
							85.213-L	85.212-L		
2580	SC25 SC25/1	85.01.03	60.15.00	82.83.15	85.25.62	82.83.04	85.202-L	85.201B-L	82.36.08	82.36.03
							85.213-L	85.212B-L		


COMPLETE COVER SETS

 WE Cover Set  WZ Cover Set	Series	Cover Type	SC Complete Guard Part Number (Advise Length Required)
	WE2280	SC15	85.128E-Length (CV Guard x 1)
	WZ2280	SC15	85.128Z-Length (CV Guard x 2)
	WE2380	SC15	85.138E-Length (CV Guard x 1)
	WZ2380	SC15	85.138Z-Length (CV Guard x 2)
	WE2380	SC25	85.238E-Length (CV Guard x 1)
	WZ2380	SC25	85.238Z-Length (CV Guard x 2)
	WE2480	SC25	85.248E-Length (CV Guard x 1)
	WZ2480	SC25	85.248Z-Length (CV Guard x 2)
	WE2580	SC25	85.258E-Length (CV Guard x 1)
	WZ2580	SC25	85.258Z-Length (CV Guard x 2)



L Specify desired length of cover tube when ordering (mm)

PG TYPE COVER SET & COMPONENTS - P CLASS - POWER DRIVE SHAFT




6. Guard Chain 82.36.03 (400mm)

COVER SETS with STANDARD CONE

Series	Cover Type	Cover Tube Dia. (mm)		Cover Set Part Number			Standard Cone			Nylon Bearing
		Inner A	Outer B	Complete 1	Outer Half 2	Inner Half 3	4	Cone Dia. D	Rib Qty	
P300 P400 P500	PG20	79	96	86.200-L	86.202-L	86.201-L	86.24.05 86.24.10	185 180	5 10	86.20.00
P600 P700 P800	PG30	92	115	86.300-L	86.302-L	86.301-L	86.34.08	230	7	86.30.00

PG TYPE WIDE ANGLE COVER SET & COMPONENTS - P CLASS



11. Screw 60.15.00

COVER SET COMPONENTS


Series	CV Guard	CV Nylon Bearing	Steel Flexo Support	Flexo Element	Outer Half Guard	Inner Half Guard	PTO PG Nylon Bearing	PTO SC Nylon Bearing	CV Guard Chain (600mm)	PTO Guard Chain (400mm)
	1	2	3	4	5	6	7	8	9	10
P480	85.01.02	82.83.14	-	85.25.62	86.202SC-L	86.201-L	86.20.00	82.83.04	82.36.08	82.36.03
P580	85.01.03	82.83.15	-	85.25.62	86.202SC-L	86.201-L	86.20.00	82.83.04	82.36.08	82.36.03
P675	85.01.03	82.83.113	16.50.711	85.25.62	86.271SC-L	86.301-L	86.30.00	82.83.04	82.36.08	82.36.03

COMPLETE COVER SETS


 PWE Cover Set  PWZ Cover Set	Series	Cover Type	SC Complete Guard Part Number (Advise Length Required)
	PWE480 PWZ480	SPF25/PG20 SPF25/PG20	86.248E-Length (CV Guard x 1) 86.248Z-Length (CV Guard x 2)
	PWE580 PWZ580	SPF25/PG20 SPF25/PG20	86.258E-Length (CV Guard x 1) 86.258Z-Length (CV Guard x 2)
	PWE675 PWZ675	SPF25V/PG30 SPF25V/PG20	86.275E-Length (CV Guard x 1) 86.275Z-Length (CV Guard x 2)



L Specify desired length of cover tube when ordering (mm)

PG COVER CONES

P300 / P400 / P500


Series Type	Cone Ref#	D	D1	Rib Qty	L	Part Number
PG20	1	185		5	157	86.24.05
PG20	1	180		10	259	86.24.10
PG20SW	2	200	175		312	86.27.60
PG20SW	2	232	223		347	86.28.60
PG20SW	3	200	166		352	86.27.603
PG20SW	3	232	214		387	86.28.603


P480 / P580 / P675

Series Type	Cone Ref#	D	D1	Rib Qty	L	Part Number
PG30	1	230		8	196	86.34.08
PG30SW	2	232	223		362	86.38.60
PG30SW	3	232	214		402	86.38.603

COVER SUPPORTS & SLEEVE

Cover Sleeve




Series Type	Diameter D (mm)	Part Number
SD15	68	80.61.104
SD15	80	80.63.112
SD25/1 (PG20)	92	80.64.102
SD35	99	80.65.101
PG20 / PG25	98	80.64.102A
PG30	135	80.65.104

Metal Support Ring



Series Type	Tube Profile	Diameter D (mm)	Diameter d (mm)	Part Number
SD15Z	1, 1G	51	48.2	16.20.74
SD25Z	2a, 2aG, S5	62	58	16.20.71
SD25Z	S5	62	58	16.20.191
PG20Z	2a, 2aG, S5	66	58	16.20.38
PG20Z	S5	66.3	61	16.20.238

Sliding Ring




Series Type	Diameter d (mm)	Diameter D (mm)	Part Number
SD15Z*	52	56	82.83.106
SD25Z*	63	68	82.83.107
SD25Z**	62	68	82.83.115
SD35Z*	76	86	82.83.108
PG20-25Z*	67	72.5	82.83.111
PG20-25Z**	62	72.5	82.83.123

* Red


** Green (Suits S5 tube - Metal Support Ring not required)

P675 Cover Insert




Series Type	Diameter D (mm)	Length L (mm)	Part Number
PG25V	154	75	16.50.711

For P675 Only

TUBE & COVER SUPPORTS
Profile Tube Plugs



Tube Profile	Diameter D (mm)	Part Number
2a	39.9	68.08.03
S5	51.5	68.08.01
S6	60.8	68.08.02

Profile Tube Seals


Tube Profile	Diameter D (mm)	Part Number
2a	65	68.18.21
S5	65	68.18.23
S6	78	68.18.25
S4		68.13.22
S4LH		68.13.22
Seal Screws	M6X14	60.15.02





Reinforcing Collar


Series Type	Diameter D (mm)	Part Number
SD05	132	83.10.03
SD15/25	165	82.85.00
SD25	191	82.85.03
SD35	218	82.85.07
SD35	200	82.85.06

Cone Adaptor


Series Type	Diameter D (mm)	Part Number
PG20	162	86.26.22
PG20 / 30	211	86.26.23

IMPLEMENT GUARDS

								
A	B	L	D	Part Number	Part Number	Part Number	Part Number	Part Number
mm	mm	mm	mm	Plain	with Access Flap	with Rubber Ext	with Access Flap	with Rubber Ext
230	200	150	150	82.09	82.64			
238	194		165	82.04				
280	200		165	82.03				
		210				82.76		
350	285	180	230			82.73		
		210				82.74		
275	217	150	-				82.37	
275	217	180	-				82.38	
275	217	210	-				82.39	
275	217	270	-					82.50
275	217	300	-					82.72
				Access Flap	82.60.00		Rubber Extension	82.88.06

