














NORTH AMERICAN SERIES OUTER SHAFT PARTS



Shaft Identification			QR Yoke 1 3/8 x 6 Collar Type 1	Universal Joint 2	Weld-in Tube Yoke 3	Tube Size 4	Drive Nib 5
Series	U/Joint Size	Nominal Yoke Width					
06	 24.61 36.80	 58.00	06-100-0606	4062000 (114-1004)	06-701-0600	06-604-0600 1 1/2" x .065"	06-510-0600 3/4" x 7/8"
12	 26.99 46.04	 65.00	12-102-1206	4122000 (RUJ-1788)	12-701-1200	1614-0000 2" x .083"	14-500-1400 1" x 1 1/8"
14	 28.58 66.67	 77.00	14-100-1406	4142000 (CPL14N)	14-701-1400	1614-0000 2" x .083"	14-500-1400 1" x 1 1/8"
35	 31.75 81.36	 93.00	35-101-3506	4352000 (CP35N-3)	35-701-3500	1711-0000 2 1/8" x .120"	35-500-3500 1 3/16" x 1 3/16"
44	 33.35 70.64	 108.00	44-101-4406	4442000 (RUJ-3009)	44-702-4400	2011-0000 2 1/2" x .120"	44-500-4400 1 5/16" x 1 5/16"
55	 38.89 109.60	 121.00	55-101-5506	4552000 (CP55N)	55-704-5500	2011-0000 2 1/2" x .120"	44-500-4400 1 5/16" x 1 5/16"

Note: Other yokes and drive bar variations available

INDENT ITEM ONLY

B:7-56


www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

North American PTO

NORTH AMERICAN SERIES INNER SHAFT PARTS



Shaft Identification			Inner Bar 36" Long 6	Inner Bar Yoke 7	QR Yoke 1 3/8 x 6 Collar Type 8	Cover Guard Bearing Kit 9	Cover Guard 10
Series	U/Joint Size	Nominal Yoke Width					
06	24.61 36.80	58.00	06-404-1214 3/4" x 7/8"	06-300-0600# 3/4" x 7/8"	06-100-0606	921-0600	900-2560 60" Long
12	26.99 46.04	65.00	14-404-1618 1" x 1 1/8"	12-300-1200 1" x 1 1/8"	12-102-1206	921-1200	900-2560 60" Long
14	28.58 66.67	77.00	14-404-1618 1" x 1 1/8"	14-300-1400 1" x 1 1/8"	14-100-1406	921-1200	900-2560 60" Long
35	31.75 81.36	93.00	35-404-0019 1 3/16" Square	35-300-3500 1 3/16" Square	35-101-3506	921-1200	900-2560 60" Long
44	33.35 70.64	108.00	44-404-0021 1 5/16" Square	44-300-4400 1 5/16" Square	44-101-4406	921-4400	902-3560 60" Long
55	38.89 109.60	121.00	44-404-0021 1 5/16" Square	55-300-5500 1 5/16" Square	55-101-5506	921-4400	902-3560 60" Long

Note: Other yokes and drive bar variations available


INDENT ITEM ONLY











www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

NORTH AMERICAN SERIES COVER SET



Shaft Identification			Cover Guard 1	Length	Cover Guard Bearing Kit (2 per Kit) 2	Easy Lock Retainer Clips (4 per Kit) 3
Series	U/Joint Size	Nominal Yoke Width				
12	 26.99 46.04	 65.00	900-2560	60" 1524mm	921-1200	13005000
14	 28.58 66.67	 77.00	900-2560	60" 1524mm	921-1200	
35	 31.75 81.36	 93.00	900-2560	60" 1524mm	921-1200	
44	 33.35 70.64	 108.00	902-3560	60" 1524mm	921-4400	
55	 38.89 109.60	 121.00	902-3560	60" 1524mm	921-4400	
77	 45.24 126.21	 139.00	900-4560#	60" 1524mm	961-4535	

INDENT ITEM ONLY

B:7-58


www.walterscheid.com.au





Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright of HS Company Pty Ltd

North American PTO

NORTH AMERICAN SERIES SHAFT VARIATIONS



Shaft Identification			Bar Yoke	Drive Bar	Drive Nib	Drive Tube	Weld Yoke
Series	U/Joint Size	Drive Bar Dimension	1	2	3	4	5
06		1" x 15 Spline	06-302-0600	06-404-1615H 36" Long	06-510-0615	06-604-0600 1.5" x .065"	06-702-0600 (No Groove) 06-701-0600 (Groove)
12		1" x 1 1/8"	12-300-1200	14-404-1618 36" Long	14-500-1400	1614-0000 2" x .083"	12-701-1200
			12-300-1200	14-404-1618 36" Long	N/A	12-604-2022# 1 1/4" x 1 3/8" 36" Long	12-700-1200#
14		1" x 1 1/8"	14-300-1400	14-404-1618 36" Long	14-500-1400	1614-0000 2" x .083"	14-701-1400
		34.90 x 20 Spline	14-301-1400#	35-404-2120 36" Long	35-501-1400	1711-0000 2 1/8" x .120"	14-701-1400
35		1 3/16" Square	35-300-3500	35-404-0019 36" Long	35-500-3500	1711-0000 2 1/8" x .120"	35-701-3500
		34.90 x 20 Spline	35-301-3500#	35-404-2120 36" Long	35-502-3500#	1711-0000 2 1/8" x .120"	35-701-3500
		45.40 x 20 Spline	35-302-3500	44-404-2720 36" Long	35-503-3500	2011-0000 2 1/2" x .120"	35-704-3500# Hollow butt
44		1 5/16" Square	44-300-4400#	44-404-0021 36" Long	44-500-4400	2011-0000 2 1/2" x .120"	44-701-4400#
		45.40 x 20 Spline	44-302-4400#	44-404-2720 36" Long	35-503-3500	2011-0000 2 1/2" x .120"	44-702-4400 Hollow butt
55		1 5/16" Square	55-300-5500	44-404-0021 36" Long	44-500-3500	2011-0000 2 1/2" x .120"	55-701-5500#
		45.40 x 20 Spline	55-302-5500	44-404-2720 36" Long	35-503-3500	2011-0000 2 1/2" x .120"	55-704-5500 Hollow butt
77		2" x 20 Spline	77-302-7700#	77-404-7720#	77-505-7700#	77-602-7700#	77-704-7700# Hollow butt

www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright of HS Company Pty Ltd

INDENT ITEM ONLY













NORTH AMERICAN QUICK RELEASE YOKES





Fig 1.
Push Pin Type



Fig 2.
Collar Type

Shaft Identification			Fig Ref.	1 3/8	1 3/8	1 3/4	1 3/4	1 1/8
Series	U/Joint Size	Nominal Yoke Width		6 Spline	21 Spline	6 Spline	20 Spline	HEX
12	 26.99 46.04	 65.00	1	12-102-1206	12-102-1221	-	-	-
			2	12-100-1206#	12-100-1221#	-	-	-
14	 28.58 66.67	 77.00	1	14-102-1406#	14-102-1421#	-	-	14-102-1418
			2	14-100-1406	14-100-1421	-	14-101-1420#	-
35	 31.75 81.36	 93.00	1	35-102-3506#	35-102-3521#	35-102-3528#	35-102-3520	35-102-3518
			2	35-101-3506	35-101-3521	-	35-101-3520	-
44	 33.35 70.64	 108.00	1	44-102-4406#	44-102-4421#	-	44-102-4420#	-
			2	44-101-4406	44-101-4421	-	44-101-4420	-
55	 38.89 109.60	 121.00	1	55-102-5506#	55-102-5521#	55-102-5528#	55-102-5520#	-
			2	55-101-5506	55-101-5521	-	55-101-5520	-
77	 45.24 126.21	 139.00	2	77-110-7706	77-110-7721	-	77-110-7720	-

QUICK RELEASE YOKE LOCKING DEVICE KITS

Quick Release Pin			Auto-Lok / Safety Slide Lock		
Image	Part No.	Description	Image	Part No.	Description
	13002006	Suit Weasler & Rockwell 6 Spl		13004000	Suit 6 Spl and 21 Spl Yokes
	13002806	Suit 1 3/4" x 6 Spl Yokes		13004020	Suit 20 Spl Yokes
	13002021	Suit 21 Spl and Weasler Hex QR		13004015	Suit 1" x 15 Spl Yokes
	13002020	Suit 20 Spl Yokes			

INDENT ITEM ONLY

B:7-60


www.walterscheid.com.au







Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright of HS Company Pty Ltd

North American PTO


NORTH AMERICAN PINCH BOLT YOKES



Shaft Identification			1 3/8 6 Spline	1 3/8 21 Spline	1 3/4 20 Spline	1 3/4 27 Spline
Series	U/Joint Size	Nominal Yoke Width				
35	31.75  81.36	93.00 	-	35-807-3521#	35-807-3520	35-807-3527#
44	33.35  70.64	108.00 	44-807-4406	44-807-4421	44-807-4420	44-807-4427#
55	38.89  109.60	121.00 	55-807-5506	55-807-5521	55-807-5520	55-807-5527#
77	45.24  126.21	139.00 	-	-	77-807-7720	-

NORTH AMERICAN 50° PINCH BOLT YOKES



Shaft Identification			1 3/8 6 Spline	1 3/8 21 Spline	1 3/4 20 Spline	1 1/2 23 Spline
Series	U/Joint Size	Nominal Yoke Width				
5550	38.89  109.60	121.00 	55-857-5506	55-857-5521	55-857-5520	55-857-5523

www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021






This catalogue is the copyright
of HS Company Pty Ltd

INDENT ITEM ONLY

B:7-61

NORTH AMERICAN BORE & KEY YOKES



Shaft Identification		Pilot Bore No Key	3/4" Bore 3/16" Key	1" Bore 1/4" Key	1 1/4" Bore 1/4" Key	1 1/4" Bore 5/16" Key
Series	U/Joint Size					
12	 26.99 46.04	12-809-1208 1/2" Bore Length=90.00mm	12-800-1212#	12-1135 Length=2.750" 12-4-1115 Length=3.500"	12-800-1220#	12-1139 Length=2.750" 12-4-1119 Length=3.500"
14	 28.58 66.67	14-809-1412 3/4" Bore Length=100.00mm	-	14-800-1416#	14-800-1420#	-
35	 31.75 81.36	35-809-3516 1" Bore Length=108.00mm	-	35-800-3516#	35-800-3520#	-
44	 33.35 70.64	44-809-4416 1" Bore Length=120.00mm	-	-	44-800-4420#	-
55	 38.89 109.60	55-809-5516# 1" Bore Length=130.00mm	-	-	®	-

North American PTO

INDENT ITEM ONLY

B:7-62

www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

NORTH AMERICAN BORE & KEY YOKES



Shaft Identification		1 3/8" Bore 5/16" Key	1 1/2" Bore 3/8" Key	1 5/8" Bore 3/8" Key	1 3/4" Bore 3/8" Key	2" Bore 1/2" Key
Series	U/Joint Size					
12		12-800-1222#	12-800-1224#	-	-	-
14		14-800-1422#	14-800-1424#	-	-	-
35		35-800-3522#	35-800-1424#	35-800-3526#	35-800-3528	-
44		44-800-4422#	44-800-4424#	44-800-4426#	44-800-4428#	44-800-4432#
55		55-800-5522#	55-800-5524#	55-800-5526#	55-800-5528#	55-800-5532#

www.walterscheid.com.au






Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

INDENT ITEM ONLY

NORTH AMERICAN SHEAR CLUTCH



Series	U/Joint Size	Ref.	Spline Details	Part Number	Maximum Torque		Length C-E	
					Nm	in.lb	mm	inch
12	 26.99 46.04		1 3/8" x 6	12-104-1206	813	7200*	116	4.567
			1 3/8" x 21	12-104-1221#				
14	 28.58 66.67		1 3/8" x 6	14-104-1406	813	7200*	116	4.567
			1 3/8" x 21	14-104-1421#				
			1 3/4" x 20	-				
35	 31.75 81.36		1 3/8" x 6	35-104-3506	3140	27800*	141	5.551
			1 3/8" x 21	35-104-3521#			141	5.551
			1 3/4" x 20	35-104-3520#			154	6.063
44	 33.35 70.64		1 3/8" x 6	44-104-4406	3140	27800*	149	5.866
			1 3/8" x 21	44-104-4421#			149	5.866
			1 3/4" x 20	44-104-4420#			162	6.378
55	 38.89 109.60		1 3/8" x 6	55-104-5506	3140	27800*	155	6.102
			1 3/8" x 21	55-104-5521			155	6.102
			1 3/4" x 20	55-104-5520			168	6.614

* Higher torque settings available on request

INDENT ITEM ONLY

B:7-64

www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021





This catalogue is the copyright of HS Company Pty Ltd

North American PTO



NORTH AMERICAN OVERRUNNING CLUTCH



NOTE: These overrunning clutches only operate in combination with the below mentioned clutch packs.

Series	U/Joint Size	Image Ref.	Spline Details	Part Number	Maximum Torque		Length C-E	
					Nm	in.lb	mm	inch
14			1 3/8" x 6	14-818-1406	1740	15400	179	7.047
			1 3/8" x 21	14-818-1421#			179	7.047
			1 3/4" x 20	14-818-1420#			189	7.441
35			1 3/8" x 6	35-818-3506#	2542	22500	187	7.362
			1 3/8" x 21	35-818-3521			187	7.362
			1 3/4" x 20	35-818-3520#			197	7.756
44			1 3/8" x 6	44-818-4406#	4070	36000	196	7.717
			1 3/8" x 21	44-818-4421			196	7.717
			1 3/4" x 20	44-818-4420#			206	8.110
55			1 3/8" x 6	55-818-5506#	4070	36000	205	8.071
			1 3/8" x 21	55-818-5521			216	8.504
			1 3/4" x 20	55-818-5520			205	8.071

CLUTCH PACK TO SUIT OVERRUNNING CLUTCH



OD A (mm)	PCD B (mm)	in/lbs	Part Number
177.8	134	9000	571-9000
177.8	134	12000	57112000
177.8	134	15000	57115000
177.8	134	18000	57118000
237.8	134	10000	59110000
237.8	134	15000	59115000
237.8	134	18000	59118000
237.8	134	21000	59121000

www.walterscheid.com.au


Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021





This catalogue is the copyright of HS Company Pty Ltd

INDENT ITEM ONLY

NORTH AMERICAN 80° WIDE ANGLE SHAFT PARTS

80° UNEQUAL U/JOINT



Shaft Identification		Universal Joint 1	QR Yoke Collar Type 2	Bar Yoke & Shaft 3	Half Shaft Including Cover 4
Series	U/Joint Size				
1480		4142800 (K5-A797)	14-111-1406# 1 3/8 x 6Spl	14-10101400# 1" x 1 1/8" Shaft L=27.250"	NLA *
			14-111-1421# 1 3/8 x 21Spl		NLA *
			14-111-1420# 1 3/4 x 20Spl		-
3580		4352800 (K5-A798)	35-113-3506# 1 3/8 x 6Spl	35-10103501# 34.90 x 20 Spl Shaft L=27.000"	NLA *
			35-113-3521# 1 3/8 x 21Spl		NLA *
			35-113-3520# 1 3/4 x 20Spl		NLA *
4480		4442800 (K5-A799)	44-107-3506# 1 3/8 x 6Spl	44-10103500# 45.40 x 20 Spl Shaft L=27.000"	NLA *
			44-107-3521# 1 3/8 x 21Spl		NLA *
			44-107-3520# 1 3/4 x 20Spl		NLA *
5580		4552800 (K5-A800)	55-111-5506 1 3/8 x 6Spl	55-10105500# 45.40 x 20 Spl Shaft L=27.000"	NLA *
			55-111-5521# 1 3/8 x 21Spl		NLA *
			55-111-5520 1 3/4 x 20Spl		NLA *

* Note: Unequal u/joint half shaft assemblies are no longer available, equal u/joint half shaft assemblies can be used as a complete replacement.

INDENT ITEM ONLY


www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

NORTH AMERICAN 50°/80° WIDE ANGLE SHAFT PARTS

50° & 80° EQUAL & UNEQUAL U/JOINT



Shaft Identification		Drive Bar	Drive Nib	80° Cover Guard Incl Bearings	80° Cover Guard Bearing	50° Cover Guard Incl Bearings
Series	U/Joint Size	5	6	7	8	
1480		14-404-1618 1" x 1 1/8"	14-500-1400	912-1467 67" Long	921-1400#	14-950-1430
3580		35-404-2120 34.90 x 20 Spl	35-501-3500	912-1467 67" Long	921-1400#	14-950-1430
4480		44-404-2720 45.40 x 20 Spl	35-503-3500	912-3579 79" Long	921-3500	-
5580		44-404-2720 45.40 x 20 Spl	35-503-3500	912-5579 79" Long	921-5500	55-950-5548

www.walterscheid.com.au


Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021





This catalogue is the copyright
of HS Company Pty Ltd

INDENT ITEM ONLY

B:7-67

NORTH AMERICAN 80° WIDE ANGLE SHAFT PARTS EQUAL U/JOINT



Shaft Identification		Universal Joint 1	QR Yoke Collar Type 2	Centre Yoke 3	Bar Yoke & Shaft 4	Half Shaft Incl. Cover 5
Series	U/Joint Size					
1480		K5-A13XR 5-433-1X	14-121-1406# 1 3/8 x 6Spl	14-515-1430#	14-10103800# 1" x 1 1/8" Shaft L=27.250"	14-19553800#
			14-121-1421# 1 3/8 x 21Spl			14-19653800#
			-			-
3580		4622000 4622000-1X 4622000-4X	35-111-8606# 1 3/8 x 6Spl	35-515-8600#	35-10108600# 34.90 x 20 Spl Shaft L=27.000"	35-19558600#
			35-111-8621# 1 3/8 x 21Spl			35-19658600#
			35-111-8620# 1 3/4 x 20Spl			35-19758600#
4480		23.00.00	44-111-5806# 1 3/8 x 6Spl	44-515-5800#	44-10105800# 45.40 x 20 Spl Shaft L=27.000"	44-19505806#
			44-111-5821# 1 3/8 x 21Spl			44-19605821#
			44-111-5820# 1 3/4 x 20Spl			44-19705820#
5580		4B82006 4B82006-1X 4B82006-4X	55-111-6806# 1 3/8 x 6Spl	55-515-6800#	55-10106800# 45.40 x 20 Spl Shaft L=27.000"	55-19556800#
			55-111-6821# 1 3/8 x 21Spl			55-19656800#
			55-111-6820# 1 3/4 x 20Spl			55-19756800#

INDENT ITEM ONLY

B:7-68


www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

North American PTO

NORTH AMERICAN 50° WIDE ANGLE SHAFT PARTS



Shaft Identification		Universal Joint 1	QR Yoke Collar Type 2	Centre Yoke 3	Bar Yoke 4	Bar Yoke & Shaft 5
Series	U/Joint Size					
1450		4142000 (CPL14N)	14-150-1406 1 3/8 x 6Spl	14-555-1400	14-350-1400 1" Round	14-10501400 1" x 1 1/8" Shaft L=29.380"
			14-150-1421 1 3/8 x 21Spl			
			14-850-1420 1 1/4 x 1/4 Key 2 set screws			
3550		4352000 (CP35N-3)	35-151-3506 1 3/8 x 6Spl	35-555-3500	35-350-3500 1" Round	-
			35-151-3521 1 3/8 x 21Spl			
			35-151-3520 1 3/4 x 20Spl			
4450		4442000 (RUJ-3009)	-	-	-	-
			-			
			-			
5550		4552000 (CP55N)	55-151-5506 1 3/8 x 6Spl	55-555-5500	55-350-5500 1.3" Round	-
			55-151-5521 1 3/8 x 21Spl			
			55-151-5520 1 3/4 x 20Spl			
			55-850-5524 1/2 x 3/8 Key 2 set screws			

Note: Clamp bolt yokes are available in 5550 series

INDENT ITEM ONLY


www.walterscheid.com.au



Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright
of HS Company Pty Ltd

NORTH AMERICAN 80° WIDE ANGLE SHAFT PARTS

WALTERSCHEID REPLACEMENT TRACTOR HALF SHAFT



Shaft Identification		QR Yoke Collar Type	Centre Yoke	Splined Drive Bar	Half Shaft Assembly	Drive Nib
Series	U/Joint Size Part No.	1	2	3	A 4	5
2480 Alternate for 3580	 35.06.00	35.83.830 1 3/8 x 6Spl	35.41.05	44-404-2720 45.40 x 20 Spl L=895mm	AGH2480-SP-895 A=1200mm (Alternate for 35-19558600)	35-503-3500
		35.83.832 1 3/8 x 21Spl			-	
		35.84.112 1 3/4 x 20Spl			-	
2580 Alternate for 4480 and 5580	 36.06.00	36.83.110 1 3/8 x 6Spl	36.41.05	44-404-2720 45.40 x 20 Spl L=685mm	AGH2580-SP-685 A=1060mm (Alternate for 44-19505806) (Alternate for 55-19556800)	35-503-3500
		36.83.112 1 3/8 x 21Spl			AGH2580-SP-6851 A=1060mm (Alternate for 44-19605821) (Alternate for 55-19656800)	
		36.84.112 1 3/4 x 20Spl			AGH2580-SP-6852 A=1060mm (Alternate for 44-19705820) (Alternate for 55-19756800)	

Half Shafts are fitted with Walterscheid CV assemblies.

INDENT ITEM ONLY

B:7-70

www.walterscheid.com.au

Document No:	SABRECAT
Issue:	3
Issue Date:	03/03/2021

This catalogue is the copyright of HS Company Pty Ltd

North American PTO