

HYDRAULIC TOP LINKS



Hydraulic Top Link Options with:	EYEBALL to HOOK	SWIVEL FORK END to HOOK	SWIVEL FORK END to EYEBALL	SWIVEL FORK END to HOOK with intergrated shock absorber	SWIVEL FORK END to FORK END
					
Available with different connecting dimensions and adjustment ranges	Cat. 2/63 Cat. 3/70	Cat. 2/63 Cat. 3/70 Cat. 3/90* Cat. 4/120	Cat. 4/3 120	Cat. 3/70DS Cat. 3/105DS Cat. 4/130DS	Cat. 4/120
Equipped with the original Walterscheid hook	✓	✓		✓	
Convenient operation by cable	✓	✓		✓	
Wide range of accessories	✓	✓	✓	✓	✓
Long service life	✓	✓	✓	✓	✓
Components can be replaced separately	✓	✓	✓	✓	✓
Valve block protected by special, reinforced retainer		✓	✓	✓	
Optional also with integrated valve block		✓ *			
Versatile use due to interchangeable swivelling forkend		✓	✓	✓	✓

* Cat. 3/90 only


Important note:

Some tractor types do not offer enough space for top links with eyeball in the tractor-side mount. Top links with swivelling fork ends should be used in these cases.




HYDRAULIC TOP LINK: INTEGRAL EYEBALL + HOOK (Implement Side)

Important Note: some tractor types do not have enough space for the top links with eyeball on the tractor side.
Top links with fork ends should be used in these cases.



Option 1



Option 2

Top Link Includes


Cat	Description	Part Number
ALL	Release Cable	305453
2 / 63	Ball Bush	099042
3 / 70	Ball Bush	099044

Tractor Power (max.)	Cat / Type	Length	Stroke	d1	B	R	Part Number
90 Hp	2 / 63	567 - 747	180	25.4	51	40	203550
		617 - 847	230	25.4	51	40	203551
140 Hp	3 / 70	626 - 836	210	25.4	51	48	203552
				32.2	51	48	203553
		666 - 916	250	25.4	51	48	203554
				32.2	51	48	203555

OPTIONAL ACCESSORIES

Option 1	Retainer for Top Link with stroke 180 / 210	L = 325	202526
Option 1	Retainer for Top Link with stroke 230 / 250	L = 365	202525
Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527

HYDRAULIC TOP LINK: FORK END + EYEBALL (Implement Side)



Option 2

Top Link Includes

Cat	Description	Part Number
4-3 / 120	Support Clip	308347

Tractor Power (max.)	Cat / Type	Length	Stroke	W	d	d1	H1	Part Number
300 Hp	4-3 / 120	669 - 892	223	51	32.2	32.2	55.5	205129
				51	37.3	32.2	55.5	205130

OPTIONAL ACCESSORIES


Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527
----------	---	---------	--------



WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.

HYDRAULIC TOP LINK: FORK END + HOOK (Implement Side)



Top Link Includes		
Cat	Description	Part Number
All	Release Cable	307612
2	Ball Bush	099042
3 / 70	Ball Bush	099044
3 / 90	Ball Bush	099043
4	Ball Bush	204783
4 / 3	Ball Bush	205125
ALL	Support Clip	308347

Tractor Power (max.)	Cat / Type	Length	Stroke	d1	H1	Part Number
100 Hp	2 / 63	550 - 730	180	20.2	27.5	309534
		600 - 830	230	20.2	27.5	309535
150 Hp	3 / 70	575 - 760	185	25.2	39.5	203020
		612 - 797*	185	25.2	39.5	203020
		600 - 785	185	25.2	39.5	309536
		637 - 822*	185	25.2	39.5	309536
		665 - 915	250	25.2	39.5	309537
		702 - 952*	250	25.2	39.5	309537
200 Hp	3 / 90	590 - 775	185	25.2	39.5	203021
		627 - 812*	185	25.2	39.5	203021
		625 - 810	185	25.2	39.5	309538
		662 - 847*	185	25.2	39.5	309538
		700 - 950	250	25.2	39.5	309539
		737 - 987*	250	25.2	39.5	309539
250 Hp	3 / 90	629 - 814	185	28.2	55.0	204484
		704 - 954	250	28.2	55.0	204404
400 Hp	4 / 120	704 - 887	183	32.1	55.5	205131
		769 - 1017	248	32.1	55.5	205132

* Length is determined by using the 100mm Long Fork End

OPTIONAL ACCESSORIES


Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527
----------	---	---------	--------



WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.

HYDRAULIC TOP LINK: FORK END + HOOK (Implement Side) WITH INTEGRAL CHECK VALVE



Top Link Includes		
Cat	Description	Part Number
3 / 90	Release Cable	307612
	Support Clip	308347
	Ball Bush	099043

Tractor Power (max.)	Cat / Type	Length	Stroke	d1	H1	Part Number
200 Hp	3 / 90	625-810	185	25.2	39.5	206176
		662-847*				206176
		700-950	250			206177
		737-987*				206177

* Length is determined by using the 100mm Long Fork End




OPTIONAL ACCESSORIES


Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527
----------	---	---------	--------



WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.



**HYDRAULIC TOP LINK: FORK END + HOOK (Implement Side)
WITH INTEGRATED SHOCK ABSORBER**


Top Link Includes		
Cat	Description	Part Number
All	Release Cable	305453
3 / 70	Ball Bush	099044
3 / 105	Ball Bush	099043
4	Ball Bush	204783
4 / 3	Ball Bush	205125
ALL	Support Clip	308347

Tractor Power (max.)	Cat / Type	Length	Stroke	d1	H1	Part Number
100 Hp	3 / 70DS	600 - 785	185	25.2	39.5	207238
		637 - 822*	185	25.2	39.5	207238
		665 - 915	250	25.2	39.5	207239
		702 - 952*	250	25.2	39.5	207239
200 Hp	3 / 105DS	625 - 810	185	25.2	39.5	207240
		662 - 847*	185	25.2	39.5	207240
		700 - 950	250	25.2	39.5	207241
		737 - 987*	250	25.2	39.5	207241
250 Hp	3 / 105DS	672 - 857	185	32.2	55.5	207875
		747 - 997	250	32.2	55.5	207876
400 Hp	4 / 130DS	702 - 887	185	32.2	55.5	207242
		767 - 1017	250	32.2	55.5	207243


* Length is determined by using the 100mm Long Fork End

OPTIONAL ACCESSORIES

Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527
----------	---	---------	--------


WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.

HYDRAULIC TOP LINK: FORK END ON BOTH ENDS



Top Link Includes		
Cat	Description	Part Number
	Fork Ends	204060

Tractor Power (max.)	Cat / Type	Length	Stroke	d	d1	H1	Part Number
400 Hp	4 / 120	706-879	173	45.2	32.2	55.5	206010

OPTIONAL ACCESSORIES


Option 2	Hydraulic Hose Kit with Quick-Fitting couplings	L = 950	202527-1
----------	---	---------	----------

COMPONENTS: HYDRAULIC TOP LINK: INTEGRAL EYEBALL & HOOK



Item	Description	Cat	Type	D1 mm	L mm	Stroke	Technical Data	Part Number
1	Top Link	All						Refer page 10
2	Ball Bush	2		25.7			Ø 50 x Ø 25.7	099042
		3/2		25.7			Ø 60 x Ø 25.7	099044
		3		32.2			Ø 60 x Ø 32.2	099043
		3HD		32.2			Ø 60 x Ø 32.2	202484
3	Adaptor Bush	1/2		19.4			Ø 25 x Ø 19.4	082649
		2/3		25.7			Ø 32 x Ø 25.7	305278
4	Release Cable	All					L = 1800	305453
5	Non-Return Valve complete with fittings	All						202958
6	Hyd Fittings (12L Pipe & 3/8" BSPP Banjo)	All						202959
7	Sealing Kit	2/63						202956
		3/70						202957
8	Marking Label				181			309530
					241			305934
9	Clip	All						099015
10	Retainer	All			325			202526
					365			202525
11	Support Clip	All						308347
12	Marking Rod	All			391			309520
13	Release Lever Kit	2/63			98			306841
		3/70			115			306842
14	Locking Pin + Spring	2/63			109			305767
		3/70			119			305765

COMPONENTS: HYDRAULIC TOP LINK: FORKEND & EYEBALL




Item	Description	Cat / Type	D mm	d mm	D1 mm	B mm	L mm	Stroke	Technical Data	Part Number
1	Top Link	4-3/120								Refer page 10
2	Fork End	4-3/120								Refer page 25
3	Bolt + Roll Pin				32		112			201577
4	Roll Pin								Ø 8x45	207070
5	Support Clip									308347
6	Retainer						340			203617
7	Non-Return Valve complete with fitting									202194
8	Hyd Fittings (12L Pipe & 1/4" BSPP Banjo)									202195
9	Piston								M42x2	204066
10	Piston Seal									203435
11	Cylinder Cover								M125x2	204068
12	Sealing Kit									203620
13	Piston Rod Complete		50	32.2		51	472	223	M42x2	204296
				37.3						204295
14	Glue								Omnifit Seal 58H	304833


WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.

COMPONENTS HYDRAULIC TOP LINK: FORK END + HOOK




Item	Description	Cat	Type	D (mm)	D1 (mm)	Length L (mm)	Stroke (mm)	Technical Data	Part No.
1	Top Link	All							Refer page 11
2	Fork End	All							Refer page 25
3	Bolt & Roll Pin	2/63			20	71			207071
		3/70+3/90	200 HP		25	100			206750
		3/90	250 HP		28	127.3			205750
		4/120			32	112			201577
4	Roll Pin	All						Ø 8x45	207070
5	Support Clip	All							308347
6	Release Cable	All						L = 1750	307612
7	Ball Bush	2			25.7			Ø 50 x Ø 25.7	099042
		3/2			25.7			Ø 60 x Ø 25.7	099044
		3			32.2			Ø 60 x Ø 32.2	099043
		3HD			32.2			Ø 60 x Ø 32.2	202484
		4/3HD			32.2			Ø 78 x Ø 32.2	205125
		4HD			45.2			Ø 78 x Ø 45.2	204783
8	Adapter Bush	1/2			19.4			Ø 25 x Ø 19.4	082649
		2/3			25.7			Ø 32 x Ø 25.7	305278
9	Retainer	All				285			203616
						340			203617
10	Non-Return Valve complete with fitting	All							202194
11	Hyd Fittings (12L Pipe & 1/4" BSPP Banjo)	All							202195
12	Marking Label	All						L = 181	309530
								L = 241	305934

**WHEN ORDERING PLEASE NOTE:**


All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.

COMPONENTS HYDRAULIC TOP LINK: FORK END + HOOK



Item	Description	Cat	Type	D (mm)	D1 (mm)	Length L (mm)	Stroke (mm)	Technical Data	Part No.
13	Piston Rod Complete	2/63		36		419	180	M28x1.5	309503
		2/63		36		469	230	M28x1.5	309502
		3/70		36		437	185	M30x2	309473
		3/70		36		502	250	M30x2	309472
		3/90		40		462	185	M34x2	201223
		3/90		40		537	250	M34x2	201224
		4/120		50		507	183	M42x2	205114
		4/120		50		572	248	M42x2	205108
14	Sealing Kit	2/63							309532
		3/70							309533
		3/90							309540
		4/120							203620
15	Piston Seal	2/63						Ø 63	309511
		3/70						Ø 70	309483
		3/90						Ø 90	309525
		4/120						Ø 120	203435
16	Piston	2/63						Ø 61.5 x M28x1.5	309509
		3/70						Ø 68.5 x M30x2	309475
		3/90						Ø 88.5 x M34x2	309523
		4/120						Ø 118.5 x M42x2	204066
17	Cylinder Cover	2/63						M68x1.5	309508
		3/70						M74x1.5	309474
		3/90						M94x2	309524
		4/120						M125x2	204068
18	Release Lever Kit	2/63+3/90				98			306841
		3/70				115			306842
		4/120				110			205576
19	Clip	All							099015
20	Locking Pin + Spring	2/63				109			305767
		3/70+3/90				119			305765
		4/120				146			205577
21	Glue	All						Omnifit Seal 58H	304833

COMPONENTS HYDRAULIC TOP LINK WITH FORK END WITH INTEGRATED CHECK VALVE




Item	Description	Cat	D mm	d mm	D1 mm	L mm	Stroke	Technical Data	Part Number
1	Top Link	3/90							Refer page 12
2	Fork End	3/90							Refer page 25
3	Bolt + Roll Pin	3/90			25	100			206750
4	Roll Pin	3/90						Ø 8x45	207070
5	Support Clip	3/90							308347
6	Release Cable	3/90						L = 1750	307612
7	Ball Bush	3/2			25.7			Ø 60 x Ø 25.7	099044
		3			32.2			Ø 60 x Ø 32.2	099043
		3HD			32.2			Ø 60 x Ø 32.2	202484
8	Adapter Bush	1/2			19.4			Ø 25 x Ø 19.4	082649
		2/3			25.7			Ø 32 x Ø 25.7	305278
9	Retainer	3/90				285			206089
						340			206092
10	Non-Return Valve	3/90							206097
11	Marking Label	3/90						L = 181	309530
								L = 241	305934
12	Piston Rod Complete	3/90	40			462	185	M34x2	206099
		3/90	40			537	250	M34x2	206101
13	Sealing Kit	3/90						Ø 90	309540
14	Piston Seal	3/90							309525
15	Piston	3/90						M34x2	309523
16	Cylinder Cover	3/90						M94x2	309524
17	Release Lever Kit	3/90				98			306841
18	Clip	3/90							099015
19	Locking Pin + Spring	3/90				119			305765
20	Glue	3/90						Omnifit Seal 58H	304833



WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.


**COMPONENTS HYDRAULIC TOP LINK: FORK END + HOOK
WITH INTEGRATED SHOCK ABSORBER**


Item	Description	Cat	Type	D (mm)	D1 (mm)	Length L (mm)	Stroke (mm)	Technical Data	Part No.
1	Top Link	All							Refer page 13
2	Fork End	All							Refer page 25
3	Bolt + Roll Pin	3/70DS			25	92			206750
		3/105DS	200HP						
		4/130DS	250HP		32	112.5			206440
4	Roll Pin	All						Ø 8x45	207070
5	Support Clip	All							308347
6	Release Cable	All						L = 1750	307612
7	Ball Bush	3/2			25.7			Ø 60 x Ø 25.7	099044
		3			32.2			Ø 60 x Ø 32.2	099043
		3HD			32.2			Ø 60 x Ø 32.2	202484
		4/3HD			32.2			Ø 78 x Ø 32.2	205125
		4HD			45.2			Ø 78 x Ø 45.2	204783
8	Adapter Bush	2/3			25.7			Ø 32 x Ø 25.7	305278
9	Retainer	All				285			203616
						340			203617
10	Non-Return Valve complete with fitting	All					185		207503
							250		207504
11	Hyd Fittings	All					185		207525
							250		207526
12	Marking Label	All						L = 181	309530
								L = 241	305934
13	Piston Rod Complete	3/70DS		45		467	185		207339
						532	250		207340
		3/105DS	200HP	60		488	185		207341
						563	250		207342
		250HP		60		480	185		207886
						555	250		207887
		4/130DS		70		512	185		207343
14	Sealing Kit	3/70DS							207344
		3/105DS							207346
		4/130DS							207347
15	Piston Seal	3/70DS							207348
		3/105DS							207429
		4/130DS							207236
16	Release Lever Kit	3/70DS & 3/105DS				98			207403
		4/130DS				110			306841
17	Clip	All							205576
18	Locking Pin + Spring	3/70DS & 3/105DS				119			099015
		4/130DS				146			305765
19	Glue	All						Omnifit Seal 58H	205577
									304833


WHEN ORDERING PLEASE NOTE:

All Hydraulic Top Links to suit Fork End (Tractor Side) Part Numbers do not include the Fork End. Refer to Fork Section (Page 25) for desired end and order separately.


COMPONENTS HYDRAULIC TOP LINK: FORK END ON BOTH ENDS



Item	Description	Type	d (mm)	D1 (mm)	Width H1 (mm)	Length L (mm)	Stroke (mm)	Technical Data	Part No.
1	Top Link	4/120				706-879			Refer page 13
2	Fork End	4/120	45	32	55.5	110.0			204060*
3	Bolt	4/120		32		118.5			202032
4	Circlip	4/120						Ø 31.75x2.36	201692
5	Non-Return Valve complete with fitting	4/120							203773
6	Hyd Fittings (12L Pipe & 1/4" BSPP Banjo)	4/120							202195
7	Piston	4/120						M42x2	204066
8	Piston Seal	4/120							203435
9	Cylinder Cover	4/120						M125x2	204068
10	Sealing Kit	4/120							206361
11	Piston Rod	4/120		50			173		205728
12	Glue	4/120						Omnifit Seal 58H	304833

* More Fork end versions available, refer to page 25


MANUAL TOP LINK

IMPLEMENT SIDE HOOK		Cat	Length	Part Number
		TRACTOR-SIDE FORK		
		2	522 - 737	200187
		2	557 - 787	200188
		2	622 - 937	200189
		3	585 - 815	200190
		3	622 - 852*	200190
		3	625 - 855	200191
		3	662 - 892*	200191
		3	665 - 975	200192
		3	702 - 1012*	200192
		3	705 - 1015	200193
		3	742 - 1052*	200193
		3	745 - 1055	200194
		3	782 - 1092*	200194
		* Length is determined by using the 100mm Long Fork End		
		TRACTOR-SIDE EYEBALL		
		2	510 - 725	309955
		2	545 - 775	309956
		2	610 - 925	309957
		3	565 - 795	309950
		3	645 - 955	309952
		3	725 - 1035	309954
		3s	640 - 850	308658*
		*Includes Tractor Side Eyeball End		
		IMPLEMENT HOOK Include		
		Cat	Description	Part Number
		2	Release Cable	305392
		3	Release Cable	305453
		2	Ball Bush	099042
		3	Ball Bush	099043


Manual Top Link part numbers do not include the Tractor Side Ends. Refer to Eyeball & Fork Section for desired Tractor Side End (Page 22 & 25)



COMPONENTS: MANUAL TOP LINK








Ref	CAT	Ø D	L	Part Number	Dimension	Description
1				REFER TO FORK END SECTION		
2	2			306402	20x70	Pin
3	3			308609	25x101	Pin
3	2			304117	DIN 471 - 20x1.75	Retaining Ring
4	3			702048	DIN 471 - 25x2	Retaining Ring
4	2	20.1	185	200057	M30	Rod Head
4	2	20.1	235	200058	M30	Rod Head
4	3	25.1	197	309680	M36x3	Rod Head
4	3	25.1	247	309739	M36x3	Rod Head
5	2	50	320	309695		Centre Tube
5	2	50	370	309696		Centre Tube
5	2	50	420	309697		Centre Tube
5	3	60	360	309690		Centre Tube
5	3	60	400	309691		Centre Tube
5	3	60	440	309692		Centre Tube
5	3	60	480	309693		Centre Tube
5	3	60	520	309694		Centre Tube
6	2	19.2	220	309681	B = 44 M30	Eye Ball
6	2	22.2	220	309683	B = 44 M30	Eye Ball
6	2	25.7	220	309685	B = 51 M30	Eye Ball
6	2	19.2	270	309682	B = 44 M30	Eye Ball
6	2	22.2	270	309684	B = 44 M30	Eye Ball
6	2	25.7	270	309686	B = 51 M30	Eye Ball
6	3	25.7	240	309679	B = 51 M36x3	Eye Ball
6	3	28.2	240	309677	B = 51 M36x3	Eye Ball
6	3	32.3	240	309675	B = 51 M36x3	Eye Ball
6	3	25.7	280	309678	B = 51 M36x3	Eye Ball
6	3	28.2	280	309676	B = 51 M36x3	Eye Ball
6	3	32.3	280	309659	B = 51 M36x3	Eye Ball
6	3S	32.3	280	201540	B = 51 1 3/4x5 UNC	Eye Ball
6	3S	37.3	300	200263	B = 51 M42x3	Eye Ball
6	4	44.8	270	204087	B = 63.5 M60x4	Eye Ball
6	4	45.2	280	204202	B = 64.4 1 3/4x5 UNC	Eye Ball



COMPONENTS: MANUAL TOP LINK


Ref	CAT	Ø D	L	Part Number	Dimension	Description
7	2	25.7	270	307770	B = 51 M30 LH	Eye Ball (inc Retainer Spring)
	2	25.7	255	201920	B = 51 M30 LH	Eye Ball (inc Retainer Spring)
	3	25.7	280	309795	B = 51 M36x3 LH	Eye Ball (inc Retainer Spring)
	3	32.3	280	309796	B = 51 M36x3 LH	Eye Ball (inc Retainer Spring)
	3S	32.3	280	201539	B = 51 1 3/4x5 UNC LH	Eye Ball (inc Retainer Spring)
	3S	32.3	280	200455	B = 51 M42x3 LH	Eye Ball (inc Retainer Spring)
	4	44.8	270	205492	B = 63.5 M60x4 LH	Eye Ball (inc Retainer Spring)
	4	45.2	270	204694	B = 63.5 1 3/4x5 UNC LH	Eye Ball (inc Retainer Spring)
8				305392	L = 1500	Release Cable
				305453	L = 1800	Release Cable
9				REFER TO TOP LINK HOOK SECTION (TYPE A)		
10	2			099042	D50x d25.7	Ball Bush
	3 / 2			099044	D60x d25.7	Ball Bush
	3			099043	D60x d32.3	Ball Bush
11	2		98	306841		Release Lever Kit
	3		115	306842		Release Lever Kit
12				099015		Clip
13				099049		Spring
14				010486	DIN 1481 - 6x28	Roll Pin
15	2			305198	19.6x95.5	Compression Spring
	3			099050	19.8x84.2	Compression Spring
16	2		109	305031		Locking Pin
	3		119	099113		Locking Pin
17				307440		Retainer Spring
18				307632		Link Clip
19	2		109	305767		Locking Pin & Spring
	3		119	305765		Locking Pin & Spring











MANUAL TOP LINK THREADED HOOKS

TYPE	CAT	THREAD		Dimension				Part Number
		RH	LH	L	L1	L2	D	
	2		M30x3.5	270	165	45		307441
	2		M30x3.5	320	210	45		309673
	3		M36x4	330	210	55		308343
	3		M36x3	280	160	45		309918
	3		M36x3	330	210	55		309671
	1		M24x3	254	158	36		202076
	2	M27x3		305	195		7.5	305008
	2	M30x3.5		320	210		7.5	306229
	2		M36x4	280	170	62	6.5	306297
	2		M27x3	275	165	45		305249
	2	M30x3		320	210			305626
	3		M36x4	300	180	55	6.5	306299
	3	M36x3		330	210		7.5	305009
	3	M36x4		330	260			305540
	3		1 1/4x7UNC	297	177			305365
	2	M24x3		320	210			305612
	2		M30x3	320	210			305525
	2	M33x3.5		320	210			305640
	2		1 1/16x12UN	250	140			305824
	2	1 1/8x7 UNC		320	210			305812
	2		1 1/8x7UNC	320	210			305818
	2		1 1/4x7UNC	320	210			305537
	2	1 1/4x7UNC		320	210			305813
	3		M30x3	330	210			305823
	3		M30x3.5	330	210			305836
	3	M30x3.5		330	210			305286
	3	M36x3		382	157			307005
	3	M39x3		310	190			306017
	3	1 3/8x8UN		340	145			306277
	3S		1 5/8x8UNC	382	202	55		309067
	2	1 1/4x7UNC		310	205			309396
	2		1 1/4x7UNC	335	134			305391
	2	M36x3		320	210			307217
	3	M36x3		330	210			308276
	3S	1 3/4x5UNC		320	190			308701
	3S		1 3/4x5UNC	416	228			308670

FORK END - HYDRAULIC / MANUAL


CAT	FIG#	B	Ø d	Ø d1	L1	H1	R	PART NUMBER
2	1	41	19.3	20.2	46.5	28.1	26	306403
2	1	44	20.2	20.2	46.5	28.1	26	306400
2	1	44	22.2	20.2	46.5	28.1	26	306401
2	1	44	25.7	20.2	46.5	28.1	26	306404
2	1	44	28.2	20.2	46.5	28.1	26	306405
3	1	45 / 50	25.7	25.2	68	40.1	35	200043
3	1	50	25.7	25.2	63	40.1	35	306372
3	1	50	28.2	25.2	63	40.1	35	306406
3	1	50	32.3	25.2	63	40.1	35	306399
3	1	50	35.2	25.2	63	40.1	35	309181
3	1	50	37.3	25.2	63	40.1	35	309125
3	1	50	32.3	28.2	67	55.6	35	309881
3	1	50	35.2	28.2	67	55.6	35	204402
3	1	50	37.3	28.2	67	55.6	35	204403
3	1	50	25.7	25.2	100	40.1	35	309341
3	1	50	28.2	25.2	100	40.1	35	309143
3	1	50	32.3	25.2	100	40.1	35	308016
3	1	50	35.2	25.2	100	40.1	35	309144
3	1	50	37.3	25.2	100	40.1	35	309126
3	1	66	28.2	25.2	57	40.1	25	202307
3	1	66	28.2	28.2	57	40.1	35	201588
4-3	2	50	32.3	32.2	110	56.1	35	202031
4-3	2	50	35.2	32.2	110	56.1	35	207877
4-3	2	50	37.3	32.2	110	56.1	35	202023
4	2	50	45.2	32.2	110	56.1	41	204337
4	2	60	32	32.2	110	56.1	40	207001
4	2	60	37	32.2	110	56.1	40	207002
4	2	60	40.5	32.2	110	56.1	40	205633
4	2	60	45	32.2	110	56.1	40	204060

TOP LINK ACCESSORIES						
	Description	Cat	Technical Data			Part Number
	Support Clip	ALL	For All Hyd Top Link			308347
	Release Cables	-	For Hydraulic Top Links with Integral Eyeball & Hook			
		-	L=1800		305453	
		-	For All other Hydraulic Top Links			
		-	L=1750		307612	
	Upper Ball Bushes		D	d	L	
		1	38	19	44	305277
		2	50	25.4	44	306674
		2	50	25.4	51	099042
		2	50	28.4	45	307593
		3-2	60	25.4	51	099044
		3	60	32.2	51	099043
		3HD	60	32.2	51	202484 hardened & tempered
		4-3HD	78	32.2	64	205125 hardened & tempered
	Adapter Bushes	2-1	25	19.4	44	082649
		3-2	32	25.7	51	305278
		4-3	37	32	51	8401580
	Special Made Tractor Pins	4-3 3/70 3/70DS 3/90 3/105DS	45	32	160	84015JD1
			45	35	160	84015JD2
			45	37	160	84015JD
	Hydraulic Hose Kit with QR Couplings (Excludes Hydraulic Top Link part # 206010)	ALL	L=950			202527
	Hydraulic Hose Kit with QR Couplings (Suits Hydraulic Top Link Part # 206010)	4	L=950			202527-1

IMPORTANT CHARACTERISTICS for 3 POINT IMPLEMENT ATTACHMENT
Implement connection for Tractors without 3Pt Quick Coupler
Implement connection for Tractors with 3Pt Quick Coupler (Hook Type)


Cat	Tractor Power	d1	d2	d4	d6	d7	k	d5	q	M	w	C	D	H
1	...50 Hp	12	19	22	38	44	39	12	44.5	460	683	35	95	80
2	...100 Hp	12	25.4	28	50	56	49	12	52	610	825	35	95	80
3	...225 Hp	12	31.7	36.6	60	64	52	17	52	685	965	40	105	90
4	...475 Hp	17.5	45	50.8	78	85	68	17.5	65	685	1166.5	50	140	120